



TENMS front door, NERO 12 panel

## DISCOVER NEW **FEATURES** FOR **FRONT DOORS**



MODERN  
DESIGN



EASY  
CLEANING



SMART  
SOLUTION



THERMAL  
TRANSMITTANCE



HIGH  
QUALITY



SECURITY





SUN  
PROTECTION



LOW  
THRESHOLD

## ALUMINUM **FRONT DOOR.**



## **TENVIS DOOR.**

Experience the perfect blend of durability, modern design and security with TENVIS doors. Made with aluminum in the door leaf, frame and panel, they are resistant to sunlight and moisture. TENVIS doors are equipped with an automatic lock that secures the door panel at three points without requiring a key. In addition, the 100% aluminum construction is recyclable, reflecting our commitment to the environment.

- Modern design, versatile panel options
- Inward or outward opening
- Electronic access system available
- Use side and top lights
- Secure 3-point lock



**MAXIMUM DOOR SIZE**  
4'3" x 8'4 1/8"



**Smart**  
OKNOPLAST




**ADA STANDARDS  
COMPLIANT**



TENVIS front door, NERO 6 panel

## ALUMINUM **FRONT DOOR.**



## **MIRU EVO DOOR.**

Enhance the aesthetics and durability of storefronts, multi-family dwellings and commercial spaces with our resilient aluminum and glass doors. They provide a strong and durable solution, exceptional strength and insulation. In addition, our doors can be customized to fit openings.

- Compatible with MIRU EVO STANDARD
- Inward or outward opening
- Option for anti-panic hardware
- Configure as double doors
- Connects to access control system



**MAXIMUM SINGLE  
GLASS DOOR SIZE**  
4'3" x 9'



**Smart**  
OKNOPLAST



**ADA STANDARDS  
COMPLIANT**



MIRU EVO DOOR

# FEATURES THAT MAKE YOUR LIFE more **BEAUTIFUL**



# TENVIS FRONT DOOR PANEL LINES.

## INOX LINE.

Our glazing panels embody modernism, seamlessly complementing bold designs. With a unique style and decorative stainless steel elements, our doors exude elegance.



ADORA

Color: RAL 8017  
frosted glass, stainless  
steel veneer applications

## GEOMETRIC LINE.

Discover our Geometric models with sleek shapes and stainless steel elements in glazed panels. Each design embodies a harmonious arrangement of decorative elements, creating a clean and modern aesthetic.



TIBERIUS

Color: DECORAL Winchester  
frosted glass, stainless steel veneer  
applications, surface milling

## FUTURA LINE.

Futuristic panels that effortlessly blend with modern architecture. With geometric milling and stainless steel elements, they add a contemporary and stylish touch to any space.



SATURNUS

Color: DECORAL Nut  
stainless steel veneer  
applications

## GROOVE LINE.

Experience the seamless integration of our panels with a futuristic design into modern architectural solutions. Their contemporary form is further enhanced by precise geometric milling, adding a touch of sophistication to any space.



TALUS

Color: RAL 3004/9005  
surface milling

## CLASSIC LINE.

Glazed panels featuring classic, geometric patterns. Their elegance is rooted in the art of moderation and the simplicity of shapes. With a timeless design, these panels seamlessly enhance both classic and modern buildings.



RAISA

Color: Grau Grunge  
frosted glass

## INTARSIO LINE.

Panels adorned with distinctive three-dimensional stainless steel elements. The interplay of diverse surfaces lends a dynamic character to the doors. With a wide array of patterns to choose from, the Intarsio series is an ideal selection for buildings of various styles, offering unparalleled versatility and style.



HERON SLIM

Three-dimensional stainless steel  
applications

## NATURA LINE.

Glazed panels, inspired by shapes with arches and curved lines, effortlessly blend into the natural landscape. Stainless steel decorative elements add an elegant and modern touch, creating a harmonious and stylish appearance.



LUCIUS

Color: RAL 7022  
frosted glass, stainless steel veneer  
applications, surface milling

## VERGE LINE.

Panels with glazing are distinguished by a decorative black frame made of tempered glass. This remarkable detail gives the door a unique character and unobtrusive elegance.



PATRICIUS

Color: RAL 9006  
frosted glass, surface milling  
applications made of black ESG glass



Scan the QR code to  
see a wide range of  
aluminum front doors.

## NERO LINE.

Stylish and exclusive doors designed with black frames and black accessories. The unique design showcases carefully selected models of exterior doors with deep black applications.



NERO 12

Color: Woodec Toffee  
an application of deep black

## MERGO LINE.

The Mergo line features modern, integrated handles with captivating LED lighting. Door panels offer customization options, blending style, and practicality with stainless steel accents and intricate details.



MERGO 8


Color: RAL 7016  
recessed and panel-integrated  
handle, 4'3" panel-integrated,  
painted in fill color

# COLORS.

## CLASSIC.



## DECORAL.



All colors from both the RAL palette and the DECORAL group are available as choices.

DECORAL is a process for improving the aesthetics of aluminum profiles and surfaces, which allows for the application of various patterns to the surface of the profiles, including those resembling stone or metal. The use of this technique not only provides spectacular visual effects, but is also proof that our doors are actually made of materials resistant even to the highest temperatures.



TENVIS front door, NERO 12 panel

# FRONT DOOR HANDLES AND PULL HANDLES.

A wide range of designs and colors of handles and pull handles that give the entrance a unique character.

## EXTERNAL PULL HANDLES.



P 1 0

D P 1 0

D P 1 0 - S 2

Q 1 0 \*

16 in.

24 in.

32 in.

39 in.

47 in.

55 in.

63 in.

71 in.

79 in.

87 in.

24 in.

32 in.

39 in.

47 in.

55 in.

63 in.

71 in.

79 in.

87 in.

24 in.

32 in.

39 in.

47 in.

55 in.

63 in.

71 in.

79 in.

87 in.

24 in.

32 in.

39 in.

47 in.

55 in.

63 in.

71 in.

79 in.

87 in.

24 in.

32 in.

39 in.

47 in.


55 in.

63 in.

71 in.

79 in.

87 in.



TENVIS front door, VITUS panel,  
P45B external pull handle



P 4 5 B

P 1 0 B

24 in.

55 in.

24 in.

55 in.

\*Option to order a touch sensor with backlighting or an unlit button.  
\*\*The button and sensor are available for all grips except P10D/1600 and P45B and P10B.



Q 9 0

Q 9 0 C

P 1 0 D

24 in.  
32 in.  
39 in.  
47 in.  
55 in.  
63 in.  
71 in.  
79 in.  
87 in.

24 in.  
32 in.  
39 in.  
47 in.  
55 in.  
63 in.  
71 in.  
79 in.  
87 in.

24 in.  
32 in.  
47 in.  
63 in.

## DOOR HANDLES.



white RAL 9016



anode



stainless steel coating



black RAL 9005



white RAL 9016



anode



stainless steel coating



black RAL 9005

# FEATURES THAT MAKE YOUR LIFE more **SAFE**



## SECURITY LATCH.

This door jammer enables you to partially open the door. To fully open the door, simply turn the knob once more.




## CONCEALED HINGES.

These hinges, adjustable in three planes, offer an exclusive solution to enhance the aesthetic appeal of your door. They effectively conceal the fittings from view, both on the exterior and interior sides.



## HANDRAIL WITH TOUCH SENSOR / HANDRAIL WITH PUSH BUTTON.

The combination of a touch sensor/handle button with a secure electric lock in espagnolettes ensures convenient operation. By simply touching the pull handle, the doors can be easily opened. Once the door is manually closed or through the use of a door closer, it automatically locks again.



## CONCEALED DOOR CLOSER.

Our hidden door closer offers a seamless blend of functionality and stunning aesthetics. It remains entirely concealed within the leaf plate, with only the sliding rail visible when the door is open. The standard version of our hidden door closer allows for precise adjustment of the hold-open position, offering a range from 80 to 120 degrees with infinite variability.



# CHOOSE AUTOMATICALLY LOCKING DOORS.

## SECURITY AUTOMATIC LOCK 'WITH A CLICK'.

Unlocking can be achieved from either the outside by turning the key or from the inside by simply using the door handle.

Advantages of the lock:

- significantly increased protection against burglary
- no deformation of the door sash occurs, even with increased temperatures, thanks to the multipoint lock maintaining alignment with the door frame
- double-sided latches – can be used for left and right hand doors
- a wide range of accessories.



security  
automatic lock  
'with a click'

## SECURITY AUTOMATIC LOCK WITH ELEKTROMATIC.

With SECURY COMFORT and an electric key, the unlocking is done from the outside without contact. After the door is closed, it is secured with multipoint locking.

Advantages of the lock:

- improved burglary protection
- no deformation of the door sash occurs, even with increased temperatures, thanks to the multipoint lock maintaining alignment with the door frame
- easy to open – no need to use force to reverse the bolts by turning the key.

The fixed frame design enhances the solution's resistance against burglars, while an electric motor effortlessly retracts the bolts into the door leaf. Additionally, an extra layer of control can be added on the outside with a biometric reader or a touch sensor integrated into the handle. For added convenience, remote control via a smartphone application is available as an optional feature.




security  
automatic  
lock with  
elektromatic

49

## WELL-CONSIDERED SECURITY.

We have implemented a coding process that ensures the utmost security as a standard practice, leaving no room for any potential manipulation risks. By fully enclosing the access control elements within the door, we effectively eliminate the possibility of unauthorized tampering or manipulation.





### FINGERPRINT READER.

- Features: Fingerprint access control.
- Administration with remote control or the administrator's fingerprint.
- Available with two relays (e.g. second finger unlocking function) or a control panel output.
- Memory for 150 fingers.
- Dimensions: 1.77 x 2.95 in.



### NUMERIC KEYPAD.

- Features: Access control by means of a 4-6 digit code.
- Available with two relays (e.g. gate opening) or a control panel output.
- Any attempted unauthorized access activates the locking mechanism.
- Dimensions: 1.77 x 2.95 in.



### RFID READER.

- Features: Access control using a key fob or card close to the reader.
- Simple configuration with a MASTER key fob.
- Master key fob and 1 user key fob included.
- Memory for up to 150 key fobs, cards, or users.
- Dimensions: 1.77 x 2.95 in.



### EKEY DLINE FINGERPRINT READER.

- Ability to connect to the network via Wi-Fi.
- Remote administration, remote door opening, and creating time intervals for access.
- Mounting on both the door leaf and the handle.
- Opening using fingerprint recognition (up to 20 users).
- Opening using a smartphone near the door.
- Remote opening/access (via Wi-Fi connectivity).
- Intuitive administration through a smartphone (remote management of permissions, push notifications in case of door opening).
- Smart home connectivity.



### SOREX UNILOCK READER.

- Access options:
  - > Fingerprint recognition
  - > Keypad entry using a code
  - > RFID reader using key fobs
  - > Utilizing unlimited electronic keys generated through the application
- The product connects to the internet via the included module (choice of Wi-Fi or LAN).
- Each set includes 1 RFID key fob (with the option to purchase more).
- Through internet connectivity, users can remotely open doors or generate access codes (with the option for time-limited access).
- The device is mounted exclusively on the panel.



TENVIS front door, MERGO 5 panel

# MEDIA

## ABOUT US.



„At OKNOPLAST'S production site outside Krakow, Poland, windows of all shapes and sizes are stacked up ready for delivery - and they all have homes to go to.”



„This is just one day's production: 5000 windows by Polish company run by the new breed of entrepreneurs”



OKNOPLAST Group is a dynamically developing international company in the top of PCV window and door manufacturers in Europe.”



DAS MARKETINGMAGAZIN FÜR BAUAUSSTATTER

„OKNOPLAST is uniquely positioned [...] among the many Polish window manufacturers”.



„Operating in 10 markets, with a strong position in Italy [...] OKNOPLAST is a leading brand in the segment of PVC windows. It combines design and innovation (...).”



„In 10 years our company wants to become a global brand, a big player on many continents such as Australia, the Middle East, North America [...]”



„[...] OKNOPLAST has seen impressive growth in France: from a turnover of 2m euro in 2010 to 20m in 2013. Growth of 50% is planned for 2014”.



„Innovation has been our thing right from the start. In the history of our company we have implemented some 30 innovations”.

„OKNOPLAST was one of the first enterprises to manufacture its doors and windows in line with the CE standard EN14351:2006”.

**WARRANTY.  
STRONG BRAND.  
SERVICES.  
DELIVERY.  
QUALITY.**



# OUR PRODUCTS IN COMMERCIAL AND RESIDENTIAL PROJECTS



oknoplast.us