

## ALUMINUM **PATIO DOOR.**



### DISCOVER NEW **FEATURES** FOR **PATIO DOORS**



LARGE DIMENTIONS  
WITH A CLEAR  
VIEW



SUN  
PROTECTION



SMART  
SOLUTION



DIFFERENT  
SCHEMES



EASY  
OPENING



SECURITY



NOISE  
REDUCTION



LOW  
THRESHOLD



HIGH  
QUALITY



THERMAL  
TRANSMITTANCE




MOSQUITO  
NET



MODERN  
DESIGN


## ALUMINUM PATIO DOOR.



## ALUVIEW SKY+

Experience modern elegance with the **ALUVIEW SKY+** sliding door system. It adds a touch of minimalism to any structure with its invisible frame and sleek, narrow profiles. Enjoy a seamless transition between indoor and outdoor living spaces and effortlessly integrate nature into your daily life.

- Triple glazing system
- Narrow 1" mullion
- Glandage system (sash retracts into the wall)
- Concealed "0" threshold with integrated drainage system (optional)



**MAXIMUM SASH WEIGHT**  
up to 880 lbs (manual drive)  
up to 1540 lbs (automatic drive)



**INTERLOCK WIDTH**  
1"



**ADA STANDARDS COMPLIANT**



**MAXIMUM SASH HEIGHT\***  
13'1"



**MAXIMUM SASH WIDTH\***  
13'1"

\*maximum sash area 139<sup>2</sup>



ALUVIEW SKY+


## ALUMINUM PATIO DOOR.



### ALUVIEW STANDARD

Experience the visual lightness of our lift and slide system, featuring noticeably narrower and lower profiles for a sleek aesthetic. Through the use of high-quality materials and technical solutions, our doors provide excellent thermal and acoustic protection. With sturdy yet slender profiles, we can construct low threshold doors with large dimensions.

- Narrow profiles
- Low threshold option available



**MAXIMUM SASH WEIGHT**  
up to 660 lbs



**MULLION WIDTH**  
4 1/2" standard  
1 7/8" slim



**ADA STANDARDS COMPLIANT**



**MAXIMUM SASH HEIGHT**  
8'11"



**MAXIMUM SASH WIDTH**  
10'9"



ALUVIEW STANDARD patio door


## ALUMINUM PATIO DOOR.



## ALUVIEW PREMIUM

Our premium lift and slide system offers improved thermal insulation with a fiberglass reinforced thermal break. Build impressive doors with triple-glazed, sealed units as standard. Experience high levels of thermal and acoustic protection. Sturdy yet slim profiles allow for low threshold doors with large dimensions.

- Multi-track design options available
- Up to 4 single and 2 fixed sashes in one frame
- Exceptional thermal properties



**MAXIMUM SASH WEIGHT**  
up to 880 lbs



**MULLION WIDTH**  
4 1/2" standard  
1 7/8" slim



**ADA STANDARDS  
COMPLIANT**




**MAXIMUM SASH HEIGHT**  
10'7"  
**MAXIMUM SASH WIDTH**  
10'9"



ALUVIEW PREMIUM patio door


## ALUMINUM PATIO DOOR.



### ALUVIEW FOLD

Discover limitless possibilities with our external folding doors. This solution offers unparalleled user freedom, seamlessly connecting the interior of your building with its surroundings. Whether you desire a seamless flow between your interior and terrace, a spacious passage from your house to the outside, or a connection between a café or restaurant and its seasonal outdoor area, our folding doors deliver.

- Up to 9 moving sashes
- Inward or outward opening
- ADA threshold available
- Doors customizable with handles and locks on both sides



**MAXIMUM SASH WEIGHT**  
up to 264 lbs



**ADA STANDARDS COMPLIANT**



**MAXIMUM HEIGHT**  
9'10"



**MAXIMUM SASH WIDTH**  
3'11 1/4"



**MINIMUM SASH WIDTH**  
2'4"




ALUVIEW FOLD patio door

## ALUMINUM PATIO DOOR.




### ALUVIEW SKY+

- Triple glazing system
- Narrow 1" mullion
- Glandage system
- (sash retracts into the wall)
- Concealed "0" threshold with integrated drainage system (optional)



### ALUVIEW STANDARD

- Narrow profiles
- Low threshold option available



**MAXIMUM SASH WEIGHT**  
up to 880 lbs (manual drive)  
up to 1540 lbs (automatic drive)



**INTERLOCK WIDTH**  
1"



**ADA STANDARDS COMPLIANT**



**MAXIMUM SASH HEIGHT\***  
13'1"



**MAXIMUM SASH WIDTH\***  
13'1"



**MAXIMUM SASH WEIGHT**  
up to 660 lbs



**MULLION WIDTH**  
4 1/2" standard  
1 7/8" slim



**ADA STANDARDS COMPLIANT**



**MAXIMUM SASH HEIGHT**  
8'11"



**MAXIMUM SASH WIDTH**  
10'9"

\*maximum sash area 139<sup>2</sup>





### ALUVIEW PREMIUM

- Multi-track design options available
- Up to 4 single and 2 fixed sashes in one frame
- Exceptional thermal properties

### ALUVIEW FOLD

- Up to 9 moving sashes
- Inward or outward opening
- ADA threshold available
- Doors customizable with handles and locks on both sides



**MAXIMUM SASH WEIGHT**  
up to 880 lbs



**MULLION WIDTH**  
4  $\frac{1}{2}$ " standard  
1  $\frac{7}{8}$ " slim



**ADA STANDARDS COMPLIANT**



**MAXIMUM SASH HEIGHT**  
10'7"



**MAXIMUM SASH WIDTH**  
10'9"



**MAXIMUM SASH WEIGHT**  
up to 264 lbs



**ADA STANDARDS COMPLIANT**



**MAXIMUM HEIGHT**  
9'10"



**MAXIMUM SASH WIDTH**  
3'11 $\frac{1}{4}$ "



**MINIMUM SASH WIDTH**  
2'4"





more

# BEAUTIFUL

Discover our vision of beauty, where aesthetics are as important as functionality and safety. With OKNOPLAST systems, you have the freedom to personalize every aspect of your windows. From shape and size to color and final appearance, create a solution that reflects your unique style. Enhance a modern profile with a rich color palette, stylish accessories, and exquisite details. At OKNOPLAST, we believe that true beauty is found in the meticulous attention to detail.


# FEATURES THAT MAKE YOUR LIFE more **BEAUTIFUL**



# COLORS.

Explore endless color options for our aluminum products, where innovative technology unlocks a vast RAL color range. Seamlessly blend uPVC and aluminum elements for impeccable color coordination. Our commitment to both color and quality ensures a durable, aesthetically pleasing finish that withstands harsh conditions. Create unique interiors that reflect your style.


## CLASSIC.




RAL 9016



RAL 7016




RAL 9007



RAL 9006



RAL 8017



RAL 9004



grunge antico



grunge grigio



grau grunge

## DECORAL.



siena rosso



siena pl



swamp oak



walnut



mahogany



winchester



golden oak

Choose from a wide range of different additional window color combinations.

## UNIQUE SHAPES.

Round, half-round, triangular or other - you decide the final shape. There are also more than 50 different window color combinations to choose from.



circle



circle with transom



half-circle



circle quarter



arched



elliptical



arched transom



cathedral



trapezoid



triangle





## ORNAMENTAL GLASS.

Ornamental glass allows light to permeate the interior of the room, increasing its warmth and depth while maintaining privacy.



cathedral



chinchila clean



delta mat



kura brun



kura clean



master carre




master ligne




satinato

# PATIO DOOR OPENING CONFIGURATIONS.

## ALUVIEW STANDARD.



























## ALUVIEW PREMIUM






ALUVIEW PREMIUM patio door

**ALUVIEW FOLD.**


AF17






ALUHAUS FOLD


AF18




AF19




AF20




AF21



AF22



AF23




## ALUVIEW SKY+


Opening possibilities with MOTORIZED sashes




Opening possibilities with MANUAL sashes




Sash system with MANUAL opening and closing - THREE RAIL FRAME



Sash system with MANUAL opening and closing - FOUR RAIL FRAME




Opening possibilities with MANUAL sashes - CORNER joint profile





Sash system with MANUAL opening and closing - GALANDAGE SYSTEM





more  
**SIMPLE**

OKNOPLAST's advanced technology makes everyday life simpler. Our systems are distinguished by intuitive operation and trouble-free functioning. What does simpler mean to us? The tilting system in the window allows free and safe ventilation without drafts. Full side opening of the sash means simpler and faster cleaning of the system. Functional accessories like our handle, low sill, and smart solutions are the perfect fit for your needs. It simply couldn't be easier.



# FEATURES THAT MAKE YOUR LIFE more **SIMPLE**



## EASY OPERATING HANDLE.

All window functions, **opening, tilting for ventilation, and closing for micro-ventilation**, are possible with one ergonomic handle. The shape and color choice is yours.



### PIXEL.

The PIXEL handle has a square shape which highlights the simple and elegant profile of the window.



light gold F3      gold F4      graphite F9      silver F1      black 9004      brown      white

### ONIX.

The ONIX window handle is crafted from durable aluminum, ensuring smooth operation in everyday use. Its geometric design pays homage to timeless solutions. The handle is available in several versions: with a key for enhanced security, with a button for ease of use, or in a TBT version to minimize the risk of accidental opening of the sash.



light gold F3      gold F4      titanium F9      silver F1      black 9005 matt      brown      white

## DESIGN+

The modern dSIGN+ handle has been designed in collaboration with the renowned design studio KISKA and is exclusively available under the OKNOPLAST brand. Its shape gives it a contemporary, minimalist character. The handle is durable and comfortable to use. With its versatile shades, it seamlessly fits into both modern and traditional interiors. It is also available in a key version.



## SLEEK.

Designed in accordance with minimalist trends, the SLEEK handle is a solution dedicated to modern interiors and designer window systems. Made of durable aluminum, it will maintain its unchanging shape and smooth functionality for many years. The handle's unique character is determined by the nearly invisible rosette. Choose between the classic, streamlined design or the geometric, industrial-style model of the SLEEK handle that will accentuate your style.

## SLEEK



## SLEEK+





MIRU EVO STANDARD window, SLEEK handle

## BALCONY LATCH.

A hardware component that allows you to comfortably close the balcony door from the outside. The balcony latch is equipped with an elegant and ergonomic handle with an original design and exceptional durability. The handle is made of aluminum.



gold F4



graphite F9



silver F1



silver



stainless steel



anthracite RAL 7016



brown RAL 8019



black RAL 9005



white RAL 9016

# PATIO DOOR HANDLES.


Crafted from durable aluminum, our windows are built to last, ensuring exceptional longevity. Their elegant design and ergonomic shapes serve as a decorative enhancement for any window.

## DEDICATED TO ALUVIEW PATIO DOOR

Internal handles



External finger pull grips



## DEDICATED TO ALUVIEW SKY +

Recessed handle



Surface mount handle



# THRESHOLDS FOR ALUVIEW PATIO DOORS.



## THRESHOLD OF ALUVIEW SKY+ PATIO DOOR

The possibility of embedding the lower profile and seamlessly integrating it with the floor finish (such as pallets, pavement, ceramics, etc.) allows for a smooth transition between the interior and exterior of the room, without any obstacles.



## FLATSTEP THRESHOLD OF ALUVIEW PREMIUM PATIO DOOR

Thresholds are specifically designed for installation in areas where it is not possible to install a standard threshold flush with the floor. Total height  $\frac{3}{4}$ "



## 2-RAIL STANDARD THRESHOLD OF ALUVIEW PREMIUM PATIO DOOR

Threshold with exceptional thermal properties and water tightness. Once installed, the part extending beyond the floor level measures only  $\frac{3}{16}$ "



## 3-RAIL STANDARD THRESHOLD OF ALUVIEW PREMIUM PATIO DOOR

Threshold with exceptional thermal properties and water tightness. Once installed, the part extending beyond the floor level is only  $\frac{3}{16}$ ".



## STANDARD THRESHOLD OF ALUVIEW SKY+ PATIO DOOR

Thanks to its unique design, the threshold sits entirely beneath the floor level. Additionally, the option to install a streamlined gutter for rainwater management is available.



## THRESHOLD IN ACCORDANCE WITH THE ADA

Our Threshold meets the American's with Disabilities Act Accessibility Guidelines (ADA). With a height of 1/2 inch applicable to veranda and balcony doors (including balcony doors with lock).



ADA STANDARDS  
COMPLIANT

more  
**EFFICIENT**

Is it possible to expect more? You should. At OKNOPLAST, we know that in order to provide you with a window of the highest quality, we must continually build a solid connection with our customers. The result of these strong connections is excellent patents that allow you to enjoy even more efficient systems. For example, the best acoustic and thermal insulation performance, and LOW E coating for UV protection, to name a few. Simply more benefits for you.







# FEATURES THAT MAKE YOUR LIFE more **EFFICIENT**



## GLASS OPTIONS.

The available glass packages provide numerous possibilities combining security, comfort, and style. For example: tempered glass, and modern low-emission coatings that improve the overall energy balance of the home.



### DOUBLE-GLAZED WINDOW UNIT



### TRIPLE-GLAZED WINDOW UNIT



## WARMATEC.

The new Warmatec glass spacer is a combination of excellent parameters and high aesthetic value. It the formation of a thermal bridge at the interface between the glass and the frame, and consequently reduces the  $U_w$  coefficient for the entire window. Warmatec can be used in all OKNOPLAST window systems. It is available in black, brown and grey.



## GASKETS.

OKNOPLAST gaskets are characterized by high resistance to moisture, water vapor, and UV rays.







more

# SAFE

At OKNOPLAST, security is the foundation for designing solutions that provide comfort, stability, and carefree living. We know how to protect what is most important to you. In OKNOPLAST systems, you will find unbreakable and unforgeable security: the most secure hardware, ultra-strong steel reinforcements in the frame, a handle with a key, and high-quality details. We simply want to give you a greater sense of security.

# FEATURES THAT MAKE YOUR LIFE more **SAFE**



# WINDOW SCREENS.

Window screens are matched to the type and color of the window. Thanks to the location of the screen, dirt and insects remain outside without polluting the window structure and the glass, which remains clean longer.



winchester



golden oak




nut-brown




mahogany



white



RAL 7016



RAL 8017




RAL 9004



## PLEATED WINDOW SCREEN.

Is it possible to gain even more comfort? With the OKNOPLAST window screen it is. Opt for a comfortable pleated solution: easy to use and aesthetically pleasing. The screen is attached to the profile of the window and slides like an accordion, which makes it almost completely invisible when fully extended. What's more, you can slide the screen to any height, letting in as much sun as needed. The simple sliding system makes the screen extremely easy to use on a daily basis, and the sturdy aluminum construction makes it a durable solution, giving you peace of mind for years to come. It couldn't be simpler.

---



## FITTINGS.

Thanks to the use of unique solutions, OKNOPLAST fittings allow for easier operation of both window and terrace sashes. They provide safety and comfortable usage for an extensive number of years. Optional completely invisible hinges, hidden between the frame and sash, accentuate the unique shape of the window.

---

## HIGH QUALITY.


Strict manufacturing standards and high quality components make our windows and doors the first choice for customers with high expectations.

---

# ASSEMBLING WINDOWS TECHNIQUES.


## NAILING FIN INSTALLATION.

- This type of installation is suitable for wooden walls where levelness, ease and safety of installation are critical.
- Anchors and screws are not needed. In short, it is used to install windows in window openings.
- Mainly used in new construction and renovations.




## FIXING CLIP INSTALLATION.

A classic method used in brick buildings where nailing is not necessary.



## DIRECT BOLT INSTALLATION.

- This installation method is typically effective in buildings where windows are being replaced (replacement windows).
- This is the fastest and best installation method using screws (with two types to choose from).





TENVIS front door, TALUS panel

oknoplast.us